

# Fight Bac™ RTU Disinfectant



## Broad Spectrum Disinfectant Cleaner

**Kills SARS-CoV-2 virus on hard non-porous surfaces in just 60 seconds.**

This product is designed specifically as a general cleaner and disinfectant for use on hard non-porous surfaces in hospitals, nursing homes, schools, office buildings and lodging establishments. It is formulated to disinfect hard non-porous, inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed ceramic tile, bathrooms, shower stalls and cabinets.

[Click Here to Request List N Product Information](#)

### Features

- Kills 99.9% of bacteria when used according to disinfection directions
- Can be used to comply with OSHA's bloodborne pathogen standard
- Use in veterinary facilities to kill canine parvovirus.
- Cuts tough grease and grime.
- Will not scratch or bleach surfaces

### Available In

4 - 1 Gal. Bottles Item #31104-00

4 - 1 Gal. Bottles Item #31104-07

12 - 32 oz. Bottles Item #31112-00

12 - 32 oz. Bottles Item #31112-07

55 Gal. Drum Item #31155-00

55 Gal. Drum Item #31155-07

### Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces.

**DISINFECTION, DEODORIZING, AND CLEANING:** Remove visible soil prior to application of the product. Hold container six to eight inches from surface to be treated. Allow product to wet the hard, non-porous surface to remain wet for **3 minutes** (for Bloodborne Pathogens: allow surface to remain wet for **HIV-1 1 minute** and for HBV and HCV **5 minutes**). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. This product will not leave grit or soap scum. **Disinfection of animal quarters and kennels:** Before using this product, remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply this product for disinfection of pre-cleaned animal quarters and kennels. Wet the hard non-porous surfaces with this product for a period of **3 minutes** (for Bovine Viral Diarrhea Virus (BVDV) 5 minutes) (for Feline Calicivirus and Rabies virus **30 seconds**) (for Canine Parvovirus **10 minutes**). Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse. **BACTERICIDAL ACTIVITY:** When used as directed, this product kills the following organisms on hard non-porous surfaces: *Pseudomonas aeruginosa* (ATCC 15442), *Listeria monocytogenes* (ATCC 35152), *Staphylococcus aureus* (ATCC 6538), *Salmonella (choleraesuis) enterica* (ATCC 10708), *Enterococcus faecium* (ATCC 6569), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 43895), *Streptococcus pyogenes* (Necrotizing Fasciitis-Group A) when the treated surface is allowed to remain visibly wet for 3 minutes.

**ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY:** Methicillin resistant *Staphylococcus aureus* (MRSA) (ATCC 33593), Vancomycin resistant *Enterococcus faecalis* (VRE) (ATCC 51575), Vancomycin intermediate resistant *Staphylococcus aureus* (VISA) (CDC Isolate 99287) when the treated surface is allowed to remain visibly wet for 3 minutes.

**TUBERCULOCIDAL ACTIVITY** - This product exhibits disinfectant efficacy against *Mycobacterium tuberculosis* BCG at 20 degrees Centigrade (20°C) when the treated surface is allowed to remain wet for 3 minutes.

**\*VIRUCIDAL ACTIVITY** - This product kills on hard, non-porous inanimate surfaces against Hepatitis A Virus (HAV), Poliovirus Type 1 (ATCC VR-1000), Canine Parvovirus (ATCC VR-2017) when the treated surface is allowed to remain visibly wet for 10 minutes.. This product kills on hard, non-porous inanimate surfaces against exhibits virucidal activity against: **Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Bovine Viral Diarrhea Virus (BVDV)** when the treated surface is allowed to remain visibly wet for **5 minutes; This product kills on hard non-porous inanimate surfaces against Human Coronavirus (ATCC VR-740), SARS associated Coronavirus and Avian Influenza A strains H3N2 and H9N2 for 2 minutes when the treated surface is allowed to remain visibly wet for 2 minutes. This product kills on**

hard, non-porous inanimate surfaces against Rhinovirus type 39 (ATCC VR-340), and Rotavirus (ATCC VR-2018) for 3 minutes; This product kills on hard non-porous inanimate surfaces against HIV-1 (associated with AIDS) when the treated surface is allowed to remain visibly wet for 1 minute; This product kills on hard non-porous inanimate surfaces against Norovirus (Norwalk virus), Feline Calicivirus (ATCC VR-782) and Rabies Virus for 30 seconds when the treated surface is allowed to remain visibly wet for 30 seconds. **KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Allow surface to remain wet for HBV and HCV **5 minutes**, for HIV-1 **1 minute**. These contact times will not control other viruses and bacteria. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to local regulations for infectious waste disposal. **FUNGICIDAL ACTIVITY** - This product is fungicidal against the pathogenic fungus, Trichophyton mentagrophytes (Athlete's Foot Fungus) (a cause of ring worm of the foot), when used with a 10 minute contact time on clean, non-porous, hard surfaces as found in bathrooms, shower stalls, locker rooms, or other areas commonly contacted by bare feet. **EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

**Tech Specs**

Color	Clear
Film residue	Free rinsing
Fragrance	Citrus Floral
Freeze/thaw stability	3 cycles
pH	11.7
Warranty	1 year
Specific gravity	1.02
Viscosity	Water-thin
EPA Reg. No.	1839-83-4170
Flash Point	200° F