



Glybet III Disinfectant



Aerosol Disinfectant

This product delivers disinfecting and deodorizing performance in an economical ready-to-use aerosol. It is formulated for use in daily maintenance programs to disinfect and deodorize in one labor saving step. Ideal for use in the daily maintenance of restroom fixtures, hospitals, households and garbage cans. This tuberculocidal disinfectant is for use on multiple hard non-porous surfaces.

Click Here to Request List N Product Information

Features

Tuberculocidal Disinfectant.
Kills Influenze A and B virus, Salmonella, Pseudomonas, Staphylococcus, VRE and MRSA.
No CFCs. Federal regulations prohibit the use of CFC propellants in aerosols.

Available In

12 - Aerosol Cans Item #108623-00

Directions for Use

For use only on hard, non-porous environmental surfaces. Prevents mold and mildew on environmental surfaces in your home and in public places. Disinfects and deodorizes surfaces through effective bacterial and fungicidal activity. Kills Staphylococcus aureus (Staph), Streptococcus hemolyticus (Strep), Pseudomonas aeruginosa, Methicillin-Resistant Staphylococcus aureus (MRSA), Mycobacterium bovis (BCG), Salmonella enterica, Trichophyton interdigitale formerly known as Trichophyton mentagrophytes

000 (athlete's foot fungus), Vancomycin-Resistant Enterococcus faecalis (VRE), Influenza A Virus, Influenza BVirus, Swine InfluenzaA Virus Strain (H1N1) and InfluenzaA Virus Strain Hong Kong on pre-cleaned, hard, non-porous environmental surfaces. Meets AOAC Efficay Standards for hospital aerosol disinfectants. Sprayed on Surfaces: Deodorizes by disinfecting. Germicidal activity kills most odor-producing organisms. Controls unpleasant odors. Pleasantly scented. For use in hospital rooms, sick rooms, doctors' examining rooms, kitchens, nurseries and bathrooms.**Sanitizes: Kills 99.9% of Staphylococcus aureus (Staph), and Enterobacter aerogenes on pre-cleaned, hard non-porous, non-food contact surfaces with a 5 minute contact time. DIRECTIONS FOR USEIt is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake Well Before Using. To Clean: Prior to disinfection, thoroughly pre-clean all surfaces to be treated by removing all gross filth andheavy soil. To Disinfect: Hold can upright and spray from a distance of 6 to 8 inches until area for treatment is thoroughly moistened. Allow surfaces to remain wet for 10 minutes before wiping. After disinfection, a potable water rinse is required. Do not use to disinfect appliances, refrigerator interiors and microwave oven interiors. Do not use on dishes, glasses or utensils. To Sanitize: Spray surface until entire area is thoroughly wet. Allow to remain wet for 5 minutes before wiping. For Control of Mold and Mildew on Hard, Non-Porous Environmental Surfaces: Spray surfaces until thoroughly moistened. Allow to air dry. Repeat application in 7 days.For Control of Trichophyton interdigitale (Athlete's Foot Fungus) in areas such as bathrooms, locker rooms, floors benches, shower stalls or other non-porous environmental surfaces commonly contacted by bare feet: Spray surface until thoroughly moistened. Allow surfaces to remain wet for 10 minutes. Allow to air dry. For Use on: Walls, floors bedframes, bedpans, urinals, fixtures containers, toilet seats, diaper pails, telephones, trash cans, and sickrooms. Due to the possibility of electric shock when used on telephones, avoid excess spraying of telephone. Kills HIV on pre-cleaned environmental surfaces and objects previously soiled with blood or body fluid in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces or objects with blood or body fluids and in which the surfaces and objects likely to be soiled with blood or body fluids can be associted with the potential for transmission of human immunodeficieny virus type 1 (HIV-1) (associated with AIDS). Special instructions for cleaning and decontamination against HIV on surfaces and objects soiled with blood or body fluids: ersonal Protection: Specific barrier protection items to be used when handling itemssoiled with blood or body fluids are disposable Itex gloves, gowns, masks and eye coverings. Cleaning Procedure: Blood and other body fluids must be thoroughly leaned from surfaces and objects before application of disinfectant. Disposal of

Infectious Materials: Blood and other body fluids must be autolaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: Leave surfaces wet for 10 minutes. This contact time will not control other common types of viruses and bacteria. Precautions This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

Tech Specs

Appearance	Clear
EPA Reg. No.	67603-4-4170
Flammability	Flammable
Fragrance	Citrus Bouquet
Weight	15.5
Warranty	2 years